			Sample ID Date							ADWS-ARP- 150808-11 8/8/2015	ADWS-IT1- 150808-11 8/8/2015
Analyte	CAS.NO	Units	Review Status							Preliminary	Preliminary
Metals, Dissolved				Drinking Water MCL	Recreationa 1 RSL	Aquatic Acute	Aquatic Chronic	Irrigation	Livestock		,
Aluminum, Dissolved	7429-90-5	ug/L				8358	3348	5000		< 24 U	< 24 U
Antimony, Dissolved	7440-36-0	ug/L		6	129					0.40 U	0.40 U
Arsenic, Dissolved	7440-38-2	ug/L		10	2.15			100	200	0.58 J	0.37 U
Barium, Dissolved	7440-39-3	ug/L		2000	34900					49	50
Beryllium, Dissolved	7440-41-7	ug/L		4	100	340	150	100	100	0.15 U	0.15 U
Cadmium, Dissolved	7440-43-9	ug/L		5	65	2.88	0.72	10	50	0.043 U	0.043 U
Calcium, Dissolved	7440-70-2	ug/L								61000	60000
Chromium, Dissolved	7440-47-3	ug/L		100		972	126	100	1000	1.0 U	1.0 U
Cobalt, Dissolved	7440-48-4	ug/L			3130			50	1000	0.12 U	0.12 U
Copper, Dissolved	7440-50-8	ug/L		1300	8580	25	16	200	500	1.3	1.4
ron, Dissolved	7439-89-6	ug/L			601000					< 17 U	< 17 U
Lead, Dissolved	7439-92-1	ug/L		15		130	5	5000	100	0.17 J	0.15 J
Magnesium, Dissolved	7439-95-4	ug/L								8100	8100
Manganese, Dissolved	7439-96-5	ug/L			2550	3710	2050	200		2.9	3
Mercury, Dissolved	7439-97-6	ug/L		2		104	0.77		10	< 0.08 U	< 0.08 U
Nickel, Dissolved	7440-02-0	ug/L			7870	813	90	200	1000	1.2	1.2
Potassium, Dissolved	7440-09-7	ug/L								2200	2100
Selenium, Dissolved	7782-49-2	ug/L		50	4290	20	5	130	250	0.58 U	0.58 U
Silver, Dissolved	7440-22-4	ug/L			837	9.9	n/a			0.10 U	0.10 U
Sodium, Dissolved	7440-23-5	ug/L								14000	13000
Thallium, Dissolved	7440-28-0	ug/L		2	34.3					0.10 U	0.15 J
Vanadium, Dissolved	7440-62-2	ug/L			712			100	100	0.30 U	0.30 U
Zinc, Dissolved	7440-66-6	ug/L			292000	290	219	2000	25000	2.8 U	2.8 U
Metals, Total			=		•						
Aluminum, Total	7429-90-5	ug/L				8358	3348	5000		4200	2800
Antimony, Total	7440-36-0	ug/L		6	129					1.5	1.1
Arsenic, Total	7440-38-2	ug/L		10	2.15		<u> </u>	100	200	11	7.6

Barium, Total	7440-39-3	ug/L	Barium, Total	7440-39-3	ug/L		2000	34900		
Beryllium, Total	7440-41-7	ug/L	Beryllium, Total	7440-41-7	ug/L		4	100	340	150
Cadmium, Total	7440-43-9	ug/L	Cadmium, Total	7440-43-9	ug/L		5	65	2.88	0.72
Calcium, Total	7440-70-2	ug/L	 Calcium, Total	7440-70-2	ug/L					
Chromium, Total	7440-47-3	ug/L	Chromium, Total	7440-47-3	ug/L		100		972	126
Cobalt, Total	7440-48-4	ug/L	Cobalt, Total	7440-48-4	ug/L			3130		
Copper, Total	7440-50-8	ug/L	Copper, Total	7440-50-8	ug/L		1300	8580	25	16
ron, Total	7439-89-6	ug/L	 ron, Total	7439-89-6	ug/L			601000		
Lead, Total	7439-92-1	ug/L	Lead, Total	7439-92-1	ug/L		15		130	5
Magnesium, Total	7439-95-4	ug/L	 Magnesium, Total	7439-95-4	ug/L					
Manganese, Total	7439-96-5	ug/L	Manganese, Total	7439-96-5	ug/L			2550	3710	2050
Mercury, Total	7439-97-6	ug/L	 Mercury, Total	7439-97-6	ug/L		2		104	0.77
Nickel, Total	7440-02-0	ug/L	Nickel, Total	7440-02-0	ug/L			7870	813	90
Potassium, Total	7440-09-7	ug/L	 Potassium, Total	7440-09-7	ug/L					
Selenium, Total	7782-49-2	ug/L	Selenium, Total	7782-49-2	ug/L		50	4290	20	5
Silver, Total	7440-22-4	ug/L	Silver, Total	7440-22-4	ug/L			837	9.9	n/a
Sodium, Total	7440-23-5	ug/L	 Sodium, Total	7440-23-5	ug/L					
Thallium, Total	7440-28-0	ug/L	Thallium, Total	7440-28-0	ug/L		2	34.3		
Vanadium, Total	7440-62-2	ug/L	Vanadium, Total	7440-62-2	ug/L			712		
Zinc, Total	7440-66-6	ug/L	Zinc, Total	7440-66-6	ug/L			292000	290	219
General			 General							
Alkalinity		mg/L	 Alkalinity		mg/L					
рΗ	pН	SU	 рН	рН	SU					
Total Suspended Solids		mg/L	 Total Suspended Solids		mg/L					
Total Dissolved Solids		mg/L	 Total Dissolved Solids		mg/L					
Total Hardness	Thardness	mg/L	 Total Hardness	Thardness	mg/L					

Bold - Bolded results identify a detected value.

Bold - Bolded results identify a detected value.

J - Data Estimated qualifier (also applied to all data less than PQLD great estimate ob qualifier (also applied to all data less than PQL, greater than or equal to MDL)

MDL - Method Detection Limit

MDL - Method Detection Limit

PQL - Practical Quantitation Limit, also known as reporting limPQL - Practical Quantitation Limit, also known as reporting limit.

U - Analyte not detected at or above MDL qualifier

U - Analyte not detected at or above MDL qualifier

D - Diluted value qualifier.

D - Diluted value qualifier.

SU - Standard Units (pH)

SU - Standard Units (pH)

mg/L - Parts per million (millligrams per liter). Solids equivalembg/mg/Kgts per million (millligrams per liter). Solids equivalent = mg/Kg.

ug/L - Parts per billion (micrograms per liter). Solids equivalentg/lug/Kærts per billion (micrograms per liter). Solids equivalent = ug/Kg

Highlighted cells denote results that exceed the lowest benchmark value

F1 - MS and/or MSD recovery is outside acceptance limits F1 - MS and/or MSD recovery is outside acceptance limits

HF - Field parameter with a holding time of 15 minutes. Test pleff of Friedd they be the chief the friedd they be the chief they be they be the chief they be they be they be they be they be they be the chief they be t

			Sample ID			ADWS-ARP- 150808-11	ADWS-IT1- 150808-11	ADWS-IT2- 150808-11	FWS-ARP2-150808- 11
			Date			8/8/2015	8/8/2015	8/8/2015	8/8/2015
Analyte	CAS.NO	Units	Review Status			Preliminary	Preliminary	Preliminary	Preliminary
Metals, Dissolved				Irrigation	Livestock				
Aluminum, Dissolved	7429-90-5	ug/L		5000		< 24 U	< 24 U	< 24 U	< 24 U
Antimony, Dissolved	7440-36-0	ug/L				0.40 U	0.40 U	0.40 U	0.40 U
Arsenic, Dissolved	7440-38-2	ug/L		100	200	0.58 J	0.37 U	0.50 J	0.38 J
Barium, Dissolved	7440-39-3	ug/L				49	50	55	56
Beryllium, Dissolved	7440-41-7	ug/L		100	100	0.15 U	0.15 U	0.15 U	0.15 U
Cadmium, Dissolved	7440-43-9	ug/L		10	50	0.043 U	0.043 U	0.043 U	0.043 U
Calcium, Dissolved	7440-70-2	ug/L				61000	60000	57000	66000
Chromium, Dissolved	7440-47-3	ug/L		100	1000	1.0 U	1.0 U	1.0 U	1.0 U
Cobalt, Dissolved	7440-48-4	ug/L		50	1000	0.12 U	0.12 U	0.12 U	0.12 J
Copper, Dissolved	7440-50-8	ug/L		200	500	1.3	1.4	1.6	1.4
ron, Dissolved	7439-89-6	ug/L				< 17 U	< 17 U	< 17 U	< 17 U
ead, Dissolved	7439-92-1	ug/L		5000	100	0.17 J	0.15 J	0.25 J	0.14 J
Magnesium, Dissolved	7439-95-4	ug/L				8100	8100	7800	8300
Manganese, Dissolved	7439-96-5	ug/L		200		2.9	3	5.6	1.7 J
Mercury, Dissolved	7439-97-6	ug/L			10	< 0.08 U	< 0.08 U	< 0.08 U	< 0.08 U
Nickel, Dissolved	7440-02-0	ug/L		200	1000	1.2	1.2	1.3	1.4
Potassium, Dissolved	7440-09-7	ug/L				2200	2100	2300	2200
Selenium, Dissolved	7782-49-2	ug/L		130	250	0.58 U	0.58 U	0.58 U	0.58 U
Silver, Dissolved	7440-22-4	ug/L				0.10 U	0.10 U	0.10 U	0.10 U
Sodium, Dissolved	7440-23-5	ug/L				14000	13000	13000	16000
Thallium, Dissolved	7440-28-0	ug/L				0.10 U	0.15 J	0.10 U	0.10 U
/anadium, Dissolved	7440-62-2	ug/L		100	100	0.30 U	0.30 U	0.41 J	0.37 J
Zinc, Dissolved	7440-66-6	ug/L		2000	25000	2.8 U	2.8 U	2.8 U	2.8 U F1
Metals, Total						- <u> </u>	•		
Aluminum, Total	7429-90-5	ug/L		5000		4200	2800	1900	5300 F1
Antimony, Total	7440-36-0	ug/L				1.5	1.1	0.73 J	1.6
Arsenic, Total	7440-38-2	ug/L		100	200	11	7.6	4.4	11

Barium, Total	7440-39-3	ug/L			97	84	75	100
Beryllium, Total	7440-41-7	ug/L	100	100	0.29 J	0.20 J	0.15 U	0.31 J
Cadmium, Total	7440-43-9	ug/L	10	50	0.55	0.4	0.3	0.5
Calcium, Total	7440-70-2	ug/L			69000	67000	61000	69000
Chromium, Total	7440-47-3	ug/L	100	1000	1.7 J	1.1 J	1.0 U	1.8 J
Cobalt, Total	7440-48-4	ug/L	50	1000	1.3	0.95	0.68	1.2
Copper, Total	7440-50-8	ug/L	200	500	49	34	23	47
ron, Total	7439-89-6	ug/L			15000	10000	6000	16000
Lead, Total	7439-92-1	ug/L	5000	100	230	150	81	220
Magnesium, Total	7439-95-4	ug/L			9400	9100	8400	9400
Manganese, Total	7439-96-5	ug/L	200		260	200	150	220
Mercury, Total	7439-97-6	ug/L		10	< 0.08 U	< 0.08 U	< 0.08 U	< 0.08 U
Nickel, Total	7440-02-0	ug/L	200	1000	2.1	1.8	1.4	2.1
Potassium, Total	7440-09-7	ug/L			3700	3200	2900	4000
Selenium, Total	7782-49-2	ug/L	130	250	0.58 J	0.58 U	0.58 U	1.0 J
Silver, Total	7440-22-4	ug/L			1.6	1	0.55 J	1.6
Sodium, Total	7440-23-5	ug/L			15000	14000	13000	17000
Thallium, Total	7440-28-0	ug/L			0.12 J	0.10 U	0.10 U	0.12 J
Vanadium, Total	7440-62-2	ug/L	100	100	10	6.9	4.3	11
Zinc, Total	7440-66-6	ug/L	2000	25000	180	140	110	170
General								
Alkalinity		mg/L			87	94	91	88
рΗ	pН	SU			8.04 HF	8.06 HF	8.13 HF	8.10 HF
Total Suspended Solids		mg/L			140	93	67	170
Total Dissolved Solids		mg/L			290	260	260	290
Total Hardness	Thardness	mg/L			210	200	190	210

Bold - Bolded results identify a detected value.

J - Data Estimated qualifier (also applied to all data less than PQL, greater than or equal to MDL)

MDL - Method Detection Limit

PQL - Practical Quantitation Limit, also known as reporting limit.

- U Analyte not detected at or above MDL qualifier
- D Diluted value qualifier.
- SU Standard Units (pH)

mg/L - Parts per million (millligrams per liter). Solids equivalent = mg/Kg.

ug/L - Parts per billion (micrograms per liter). Solids equivalent = ug/Kg

Highlighted cells denote results that exceed the lowest benchmark value

F1 - MS and/or MSD recovery is outside acceptance limits

HF - Field parameter with a holding time of 15 minutes. Test performed by lab by client's request

Table 1 Surfacewater Analytical Data - Region 6 Upper Animas River

				FWS-FDPS-150808-	LVW-FD-	LVW-WPI-		
			Sample ID	11	150808-11	150808-11	MWSS-ARI-150808-11	NSW-ARI-150808-11
			Date	8/8/2015	8/8/2015	8/8/2015	8/8/2015	8/8/2015
Analyte	CAS.NO	Units	Review Status	Preliminary	Preliminary	Preliminary	Preliminary	Preliminary
Metals, Dissolved	7400 00 5				200	270		
Aluminum, Dissolved	7429-90-5	ug/L		< 24 U	390	270	< 24 U	< 24 U
Antimony, Dissolved	7440-36-0	ug/L		0.40 U	0.40 U	0.40 U	0.40 U	0.40 U
Arsenic, Dissolved	7440-38-2	ug/L		0.76 J	0.76 J	0.76 J	0.52 J	0.62 J
Barium, Dissolved	7440-39-3	- O.		60	81	70	57	52
Beryllium, Dissolved	7440-41-7	ug/L		0.15 U	0.15 U	0.15 U	0.15 U	0.15 U
Cadmium, Dissolved	7440-43-9	ug/L		0.043 U	0.043 U	0.043 U	0.043 U	0.043 U
Calcium, Dissolved	7440-70-2	ug/L		66000	52000	51000	67000	58000
Chromium, Dissolved	7440-47-3	ug/L		1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Cobalt, Dissolved	7440-48-4	ug/L		0.14 J	0.23 J	0.18 J	0.15 J	0.12 J
Copper, Dissolved	7440-50-8	ug/L		1.6	1.7	1.5	1.6	1.5
ron, Dissolved	7439-89-6	ug/L		< 17 U	220	150	< 17 U	< 17 U
Lead, Dissolved	7439-92-1	ug/L		0.20 J	0.5	0.36	0.23 J	0.15 J
Magnesium, Dissolved	7439-95-4	ug/L		8400	6600	6500	8600	7900
Manganese, Dissolved	7439-96-5	ug/L		1.6 J	20	3.5	4.3	5.4
Mercury, Dissolved	7439-97-6	ug/L		< 0.08 U	< 0.08 U	< 0.08 U	< 0.08 U	< 0.08 U
Nickel, Dissolved	7440-02-0	ug/L		1.8	1.8	1.5	1.9	1.3
Potassium, Dissolved	7440-09-7	ug/L		2200	2500	2500	2200	2200
Selenium, Dissolved	7782-49-2	ug/L		0.58 U	0.58 U	0.58 U	0.58 U	0.58 U
Silver, Dissolved	7440-22-4	ug/L		0.10 U	0.10 U	0.10 U	0.10 U	0.10 U
Sodium, Dissolved	7440-23-5	ug/L		16000	20000	19000	16000	12000
Thallium, Dissolved	7440-28-0	ug/L		0.10 U	0.10 U	0.15 J	0.10 U	0.10 U
Vanadium, Dissolved	7440-62-2	ug/L		0.36 J	0.73 J	0.68 J	0.30 J	0.30 U
Zinc, Dissolved	7440-66-6			2.8 U	2.8 U	28 U	2.8 U	2.8 U
Metals, Total		- 3,						
Aluminum, Total	7429-90-5	ug/L		5000	22000	29000	4600	2200
Antimony, Total	7440-36-0			1.4	0.64 J	1.2	1.5	0.93 J
Arsenic, Total	7440-38-2	- O.		10	14	15	11	6.1

Barium, Total	7440-39-3	ug/L	110	370	400	110	80
Beryllium, Total	7440-41-7	ug/L	0.30 J	1.2	1.5	0.29 J	0.16 J
Cadmium, Total	7440-43-9	ug/L	0.45	0.34	0.45	0.51	0.38
Calcium, Total	7440-70-2	ug/L	 70000	64000	67000	68000	63000
Chromium, Total	7440-47-3	ug/L	1.8 J	12	17	1.8 J	1.0 U
Cobalt, Total	7440-48-4	ug/L	1.3	8.3	10	1.3	0.78
Copper, Total	7440-50-8	ug/L	43	55	58	46	29
ron, Total	7439-89-6	ug/L	 14000	30000	36000	14000	8300
Lead, Total	7439-92-1	ug/L	200	240	240	210	110
Magnesium, Total	7439-95-4	ug/L	 9600	11000	12000	9200	8700
Manganese, Total	7439-96-5	ug/L	230	530	620	230	170
Mercury, Total	7439-97-6	ug/L	 < 0.08 U	0.089 J	< 0.08 U	< 0.08 U	< 0.08 U
Nickel, Total	7440-02-0	ug/L	2.3	12	14	2.2	1.7
Potassium, Total	7440-09-7	ug/L	 3800	7000	8400	3600	3000
Selenium, Total	7782-49-2	ug/L	0.83 J	1.4 J	1.0 J	0.69 J	0.61 J
Silver, Total	7440-22-4	ug/L	1.4	1.6	1.5	1.5	0.80 J
Sodium, Total	7440-23-5	ug/L	 17000	22000	21000	16000	13000
Thallium, Total	7440-28-0	ug/L	0.11 J	0.29	0.37	0.11 J	0.10 U
Vanadium, Total	7440-62-2	ug/L	10	34	46	10	5.5
Zinc, Total	7440-66-6	ug/L	160	160	170	170	130
General							
Alkalinity		mg/L	 90	83	83	89	99
ρН	рН	SU	 8.10 HF	8.03 HF	8.02 HF	8.12 HF	8.12 HF
Total Suspended Solids		mg/L	 150	910	1100	150	71
Total Dissolved Solids		mg/L	 290	260	270	290	270
Total Hardness	Thardness	mg/L	 210	210	220	210	190

Bold - Bolded results identify a detected value.

J - Data Estimated qualifier (also applied to all data less than PQL, greater than or equal to MDL)

MDL - Method Detection Limit

PQL - Practical Quantitation Limit, also known as reporting limit.

- U Analyte not detected at or above MDL qualifier
- D Diluted value qualifier.
- SU Standard Units (pH)

mg/L - Parts per million (millligrams per liter). Solids equivalent = mg/Kg.

ug/L - Parts per billion (micrograms per liter). Solids equivalent = ug/Kg

Highlighted cells denote results that exceed the lowest benchmark value

F1 - MS and/or MSD recovery is outside acceptance limits

HF - Field parameter with a holding time of 15 minutes. Test performed by lab by client's request